

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	49	(("1,559,461") or ("2,460,215") or ("2,817,230") or ("2,954,797") or ("3,045,198") or ("3,247,478") or ("3,485,085") or ("3,507,145") or ("3,767,519") or ("3,879,985") or ("4,019,371") or ("4,107,724") or ("4,129,030") or ("4,194,389") or ("4,213,180") or ("4,224,595") or ("4,232,736") or ("4,237,721") or ("4,282,743") or ("4,295,669") or ("4,466,273") or ("4,507,954") or ("4,557,139") or ("4,674,320") or ("4,723,441") or ("4,827,246") or ("4,851,303") or ("4,864,847") or ("4,876,884") or ("4,926,680") or ("5,039,561") or ("5,170,659") or ("5,209,105") or ("5,348,044") or ("5,387,462") or ("5,505,718") or ("5,610,324") or ("5,654,246") or ("5,979,227") or ("6,041,645") or ("2,766,614") or ("4,458,521") or ("4,601,194") or ("4,727,749") or ("5,330,720") or ("5,390,206") or ("5,568,121") or ("5,287,384") or ("5,506,864")).PN.	USPAT	2004/09/12 13:01
2	BRS	L2	129814 6	1995.fy.	USPAT ; EPO; JPO; DERWE NT	2004/09/12 13:01
3	BRS	L3	651723	plant or factory	USPAT ; EPO; JPO; DERWE NT	2004/09/12 13:01

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>1</b>			<b>0</b>
<b>2</b>			<b>0</b>
<b>3</b>			<b>0</b>

	Type	L #	Hits	Search Text	DBs	Time Stamp
4	BRS	L4	102235 5	(detect or detecting or detected or detection or detector or sense or sensing or sensed or sensor or monitor or monitoring or monitored) with (level or leak or leakage or emission or temperature or	USPAT ; EPO; JPO; DERWE NT	2004/09/12 13:15
5	BRS	L5	671821	(communicate or communication or communicating or communicated or control or controlling or controlled or actuate or actuating or actuated or actuation or activate or activating or activation or activated) with valve	USPAT ; EPO; JPO; DERWE NT	2004/09/12 13:11
6	BRS	L6	15545	3 and 4 and 5	USPAT ; EPO; JPO; DERWE NT	2004/09/12 13:12
7	BRS	L7	8517	3 and 4 same 5	USPAT ; EPO; JPO; DERWE NT	2004/09/12 13:14
8	BRS	L8	1169	7 and (rf or radio or wireless or spread ajd2 spectrum)	USPAT ; EPO; JPO; DERWE NT	2004/09/12 13:15

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>4</b>			<b>0</b>
<b>5</b>			<b>0</b>
<b>6</b>			<b>0</b>
<b>7</b>			<b>0</b>
<b>8</b>			<b>0</b>

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	119182	(detect or detecting or detected or detection or detector or sense or sensing or sensed or sensor or monitor or monitoring or monitored) with (communicate or communication or communicating or communicated or control or controlling or controlled or actuate or actuating or actuated or actuation or activate or activating or activation or activated) with valve	USPAT ; EPO; JPO; DERWE NT	2004/09/12 13:15
10	BRS	L10	1165	7 and (rf or radio or wireless or spread ajd2 spectrum)	USPAT	2004/09/12 16:25
11	IS&R	L11	2642	((340/359.1) or (340/359.6) or (340/581) or (340/605) or (340/612) or (340/618) or (340/626) or (73/40.5) or (73/40)).CCLS.	USPAT	2004/09/12 16:26

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>9</b>			<b>0</b>
<b>10</b>			<b>0</b>
<b>11</b>			<b>0</b>